SHOR-LINE
SINCE 1927

Quality Equipment...
An Investment for Life!

Catalogue / November Edition 2026

ANIMAL HOUSING

VETERINARY KENNEL & CATTERY SOLUTIONS

KENNELS | WALK IN KENNELS | CAT CONDOS | ACCESSORIES

Designed for *comfort, safety & hygiene*

Premium veterinary furniture engineered for clinical workflows and daily sanitisation.







Welcome to the new Shor-Line Ltd Animal Housing Product Catalogue November 2026

For over 40 years, Shor-Line Ltd has specialised in high-quality veterinary equipment, including stainless steel kennel systems, Cat Condos, walk-in kennel doors and clinical furniture. Combining durability, hygiene and practical design, we provide reliable solutions tailored to modern veterinary practices, supporting animal welfare and helping veterinary professionals create safe, functional clinical environments.


Please enjoy this catalogue of products and we look forward to working with you.

Your sincerely,

The SHOR-LINE team.



KENNELS - LIFETIME GUARANTEE



HARDWARE

All Trim Plates and Trim Strips are made from stainless steel with rounded corners. No sharp edges or points.

PATENTED LATCH

The latch is designed to be durable, secure and quiet. Acetal bushings provide smooth operation and sound dampening qualities. The concave latch bar design enables the kennel door to be opened with the forearm when handling sedated or awkward animals.

KENNEL DOOR

The one piece frame and wrap around hinge/latch bars are formed from 9.5mm diameter solid stainless steel rods. All additional horizontal rods are 6mm in diameter and all vertical rods are 4.8mm in diameter. Every intersection of horizontal and vertical rods are welded, providing incredible strength.

FULLY ROUNDED CORNERS AND FLUID RETAINING LIP

No 90° corners to trap germs and debris. A smooth rounded cove in the back and all internal sides of the kennel. A slightly raised, fluid retaining lip prevents spillage out of the front of the kennel.

STAINLESS STEEL FRAME

All frame members are made from heavy duty stainless steel to provide you many years of solid structural support from your kennel assemblies.

HINGE DESIGN

Our hinge has been designed and developed for strength and utility. The hinge is constructed of 14 gauge stainless steel that is encapsulated by an injection moulded, fibreglass reinforced thermoplastic polymer.

The snap together bushing on the door frame is also moulded from thermoplastic polymer with permanent, self lubricating properties resulting in a silky smooth and silent swing.

The hinge design also allows for the quick and easy removal of the door for cleaning and reattachment without tools.

Our doors, latches and hinges are completely reversible which allows you to change your kennel from a right latch to a left hand latch, or vice versa at any time.

KENNELS



What's in a Kennel?

Materials
Our kennels are constructed from the highest grades of austenitic stainless steel material. Even the square tube frame, kennel shell, trim hardware, screws and platforms are made of heavy gauge stainless steel.

Fabrication
Shor-Line Kennels are fabricated from our exclusive 2-piece unitised construction process, minimizing the number of welded seams. Less welds mean stronger and longer lasting kennels.

Modular Assemblies
Our kennels are completely modular. This means each kennel is manufactured as an individual unit, engineered for fit and function to combine with others into one structural product. When you put them together, they look custom built, specially for your housing area.
Installation is quick and easy. Our kennels are configured in 152.4mm increments (457.2mm, 609.6mm, 762mm, 914.4mm, etc.). When planning space requirements, allow an additional 3mm in width for every two kennels that are side-by-side.

A Polished Look
All stainless steel hardware (trim strips, trim plates and screws) tie each assembly together for a finished look. The kennels themselves have a front flange which overlaps the lower kennel or base platform, covering all horizontal joints.


Standing Tall
A platform to support the kennel assembly may be ordered from Shor-Line with your kennel purchase.

Standard Industry Kennel Sizes

Kennels are 717.7mm deep not including latch.

Product Code	Width (mm)	Height (mm)	Size of Kennel suits
902.1818.70	457.2	457.2	
902.1824.70	457.2	609.6	
902.2418.70	609.6	457.2	
902.2424.70	609.6	609.6	
902.2430.70	609.6	762	
902.3024.70	762	609.6	
902.3030.70	762	762	
902.3036.70	762	914.4	
902.3624.70	914.4	609.6	
902.3630.70	914.4	762	
902.3636.70	914.4	914.4	
902.4230.70	1066.8	762	
902.4236.70	1066.8	914.4	
902.4830.70	1219.2	762	
902.4830.73 (Double Door)	1219.2	762	
902.4836.70	1219.2	914.4	
902.4836.73 (Double Door)	1219.2	914.4	
902.6036.73 (Double Door)	1524	914.4	
902.7236.73 (Double Door)	1828.8	914.4	

KENNEL RUN GATES



FRAMES
All frames are constructed of 31.75mm square stainless steel tubing. All corners are mitered and hand welded.

PATENTED LATCH
Our latch is designed to be durable, secure and quiet. Acetal bushings provide smooth operation and sound dampening qualities.
Concave latch bar allows the Run Gate to be opened with your forearm if both your hands are occupied.

HORIZONTAL & VERTICAL RODS
All rods are 6.35mm diameter solid stainless steel and welded at every intersection.
Horizontal rods are spaced 152.4mm apart and vertical rods are 38.1mm apart. The result is a safe and rugged gate.

PVC FLOORS
Keep patients and boarding clients clean, dry and comfortable. Supplied in sections for easy removal and cleaning, they are supported by stainless steel stirrups (Raised Floor Run System Only).

ADJUSTABLE LEGS
Front leg has adjustable levelling pad and rear leg has a 101.6mm telescopic adjustment to assure a level and square installation (Raised Floor Run System Only).

HORIZONTAL BRACE
The horizontal brace provides additional strength and is the same 31.75mm stainless steel tubing as the frame. All vertical rods are inserted into the frame and through the brace.


ISOLATION PANEL
Available in standard 1219.2mm high or "total isolation". Constructed of two stainless steel sheets, one exterior and one interior, welded to the frame. Sound
dampening material sandwiched between these two sheets prevents an "oil canning" affect.

ASSEMBLY HARDWARE
All assembly hardware, screws and barrel nuts are stainless steel.


GATES
Gates are available as all grill Stainless Steel, half Glass half grill, or all Glass Panels.

SHOR-LINE KENNEL RUN GATES

FLOOR







1 Concrete Floor with Trench Drain Cover

Your facility is built with a trench drain system and the kennel walls sit on concrete. We offer half and full trench drain covers (half is shown). An alternative is to cover the Trench Drains with a Flip Up Resting Bench.

2 Sloped Floor with Concrete Trench Drain

The built-in side panel and wedge system has an adjustable wedge that conforms to the concrete slope. Once sealed, it creates a barrier against cross contamination. It works with your existing trench drain system.

3 Elevated PVC-Coated Floor

We take a 14-gauge, round-holed, heavy-duty steel sheet and coat it with 3mm thick layer of PVC coating.

GATE & BACK PANEL SIZE

762mm Wide
914.4mm Wide
1219.2mm Wide

SIDE PANEL SIZE

1524mm Long
1828.8mm Long

GATES







1 Full Stainless Steel Frame

Gate frame and gate panel are constructed of welded 31.75mm square stainless steel tubing and stainless steel grill.

2 Stainless Steel Frame & Glass Door Gate

Gate frame and door are constructed of welded 31.75mm square stainless steel tubing. Tempered glass is encased by an aluminium extrusion mounted to the gate and door frame.

3 Stainless Steel without Bottom Bar

Door is constructed of welded 31.75mm square stainless steel tubing with reinforced frame and stainless steel grill.

KENNEL RUN GATES

SIDE PANELS







1 Full Isolation

Strong stainless steel panels add brightness and make cleaning easy. Two heavy-gauge stainless steel panels are sandwiched between a Sound Dampening Technology core to help reduce sound and add strength. Also available in tempered glass or PVC. Full isolation covers the entire 1981.2mm.

2 1219.2mm Semi Isolation

Choose from heavy-duty stainless grill or tempered glass for the 762mm top section and your choice of stainless steel, or PVC for the bottom 1219.2mm section. Uses the same Sound Deadening Technology as Full Isolation.


3 Full Height or 48" Cement Masonry Unit

Benefits are no cross contamination possibilities and total isolation. You can place our 762mm stainless steel or tempered glass Flag Panels on top.

BACK PANELS







1 Full isolation

Stainless steel panels add brightness and make cleaning easy. Full isolation covers 1981.2mm.


2 1219.2mm Isolation

Heavy duty stainless steel mesh covers the 762mm top section. Choose stainless steel or PVC panels for the bottom 1219.2mm.

3 No Back Panel

In many spaces, you can use your existing wall as the kennel back panel.

T-KENNEL RUN SYSTEM



FRAMES

All frames are constructed of 25.4mm square stainless steel tubing. All corners are mitered and hand welded.

DOORS

Choose from tempered glass or grill doors. Doors can open in or out and are completely removable to aid cleaning.

HORIZONTAL AND VERTICAL RODS

All rods are 4.57mm diameter solid stainless steel and welded at every intersection.
Horizontal rods are spaced 152.4mm apart and vertical rods are 38.1mm apart. The result is a safe and rugged gate.

PVC SIDE AND BACK PANELS

Two strong 2.3mm PVC Panels are sandwiched between a Sound Dampening Technology core to help reduce sound and add strength. Side panels available in 1219.2mm semi-isolation or 1828.8mm high full isolation.

ADJUSTABLE DROP BAR

The adjustable drop bar follows the slope of the floor to prevent cross-contamination.

OPTIONAL FEEDING SYSTEM

Food and water optional feeding systems are available (must be ordered at time of manufacture).

ASSEMBLY HARDWARE

All assembly hardware, screws and barrel nuts are stainless steel.

GATES

Gates are available as all grill Stainless Steel, half Glass half grill, or all Glass Panels.

APPLICATIONS

Outdoor applications are available.

T-KENNEL RUN SYSTEM

FLOOR





1 On Concrete Floor with Trench Drain Cover

Economical alternative to Stainless Steel but it may require maintenance over time.

2 Raised Floor

The raised floor allows you to disassemble and move the runs, if needed. It also allows you the option to connect to a drain (trench drain covers optional). The flooring is 4mm PVC in a variety of colours.

FRAME



1 Stainless Steel

Best looking frame. Holds up well to liquids and cleaning products and is virtually maintenance free.


GATE & BACK PANEL SIZE

914.4mm Wide
1066.8mm Wide
1219.2mm Wide

SIDE PANEL SIZE

1219.2mm Long
1524mm Long
1828.8mm Long
2438.4mm Long

GATE STYLE







1 Stainless Steel

Solid stainless steel frame provides maximum durability and clean look.

2 Tempered Glass


The frame is stainless steel. Tempered glass is encased in an aluminium extrusion, and we mount that to the gate frame.

3 Half PVC

The top 609.6mm can either be grill or tempered glass. The lower 1219.2mm can be coloured PVC.

T-KENNEL RUN SYSTEM

SIDE PANELS







1 Full Isolation

Two strong 2.3mm PVC panels are sandwiched between a Sound Dampening Technology core to help reduce sound and add strength. The panels add colour and make cleaning easy. Full isolation 1828.8mm.


2 1219.2mm Isolation

Choose between stainless steel or tempered glass for 609.6mm top section. Strong 2.3mm PVC panels (bottom 1219.2mm) clean easily and add colour. Uses the same Sound Dampening Technology as Full Isolation.

3 Full Height or 1219.2mm Cement Masonry Unit

Benefits are no cross contamination possibilities and total isolation. You can place our 609.6mm stainless steel grill, tempered glass or PVC panels on top.

BACK PANELS





1 Full Isolation

Strong 2.3mm PVC panel add colour and make cleaning easy. Full isolation 1828.8mm.

2 No Back Panel

In many spaces, you can use your existing wall as the kennel back panel. (This includes CMU walls).

PVC PANEL COLOURS

3530	2357

Other colours available on request.

STAINLESS STEEL DOUBLE CAT SUITE



The Mobile Free Standing Stainless Steel Double Cat Suite provides a large amount of living space whilst offering a nurturing environment.


The Stainless Steel construction provides the best surface for disinfection and long service life.

All features have been designed to relieve the stress of your patient which leads to a safer environment for both feline and handler.

- Lockable door latch to prevent escapes
- Stainless steel door design discourages paw entrapment
- Silent latch mechanism eliminates noise and creates a stress-free environment for patients
- Integrated compartment divider can be removed for cleaning
- Portals can be opened and closed from the outside without opening kennel doors or disturbing patients
- Interior polymer components are made of chemical resistant Polyethylene (PE)
- End and Top Panels together with Stainless Steel Quiet Time Door Cover included

Mobile Free Standing Stainless Steel Double Cat Suite


Product Code	Description
902.0103.24	Mobile Free Standing Stainless Steel Double Cat Suite
902.4830.20	Kennel: Width 1219.2mm x Height 762 mm x Depth 717.6mm with Cat Suite



Mobile Free Standing Stainless Steel Double Cat Suite Sizes

W (mm)	H1 (mm)	H2 (mm)	L1 (mm)	L2 (mm)	L3 (mm)
717.7	1739.9	762	1219.2	914.4	304.8

CAT CONDOS





QUIET CLOSING LATCHES	HYGIENIC & DURABLE	OPTIONAL STORAGE
Reduces stress in anxious cats.	Made from Waterproof Construction Board (WCB) which is impervious to moisture.	Add a door or drawer to suit your workflow.

Quiet luxury for anxious patients

Cats don't do well outside their comfort zone – and a veterinary stay is about as far outside it as they get. The Shor-Line Cat Condo was designed around that reality, built from direct conversations with clinics and industry experts about what actually reduces feline stress during a hospital or boarding stay.

The result is a housing unit that's as easy on the eye as it is on the paws – combining clinical durability with a calmer, more considered patient experience.

A door built for both cats and clinicians. The clear polycarbonate front gives staff an unobstructed view of the patient at all times, while horizontal ventilation slits keep airflow moving without sacrificing that visibility – and make wipe-down cleaning fast between patients.

Certified to the standard that matters. Every Cat Condo meets the International Society of Feline Medicine (ISFM) Cat Friendly Gold Standard for housing. Choose Small or Medium for stays up to 24 hours, or step up to Large for anything beyond that.

Built to last. The shell is made from Waterproof Construction Board (WCB) – a closed-cell U-PVC foam core fused to a solid PVC surface into one seamless, moisture-proof structure. It resists chemicals, carries lifelong antibacterial protection, and won't degrade under the kind of repeated disinfecting a busy clinic demands.

AVAILABLE SIZES:	Small (Width x height x Depth) For cats hospitalised up to 24 hours Gold Cat Friendly Clinic	Medium (Width x height x Depth) For cats hospitalised up to 24 hours Gold Cat Friendly Clinic	Large (Width x height x Depth) For cats hospitalised longer than 24 hours Gold Cat Friendly Clinic
Outside Dimensions	610 x 762 x 700 mm	762 x 762 x 700 mm	1220 x 762 x 700 mm
Inside Dimensions	574 x 726 x 689 mm	726 x 726 x 689 mm	1184 x 726 x 689 mm
Or			
Outside Dimensions	610 x 610 x 700 mm	762 x 610 x 700 mm	1220 x 610 x 700 mm
Inside Dimensions	574 x 574 x 689 mm	726 x 574 x 689 mm	1184 x 574 x 689 mm

MOBILE CAT UNIT

NEW



Versatile Mobile Cat Accommodation

A versatile mobile cat accommodation unit manufactured from durable Waterproof Construction Board (WCB). Featuring:

- Double-cupboard mobile base
- Bottom row which is a divisible double Cat Condo with an Onyx divider made from antibacterial PVC (for cats hospitalised longer than 24 hours when divider not in use)
- Two single Cat Condos (for cats hospitalised up to 24 hours) in the upper row

The integrated electrical top rail is equipped with two double domestic sockets and two IV pump holders, providing convenient access to essential equipment.

Overall Width 1220 mm	Overall Depth 700 mm	Height 1697 mm (without Electric Rail)	Height 1847 mm (with Electric Rail)

Sustainable Performance

Combining durability with environmental responsibility, WCB is manufactured using recycled PVC-U, helping to reduce waste while delivering a robust, long-lasting surface suited to the demands of modern veterinary practice. Designed with durability and end-of-life recyclability in mind, WCB offers a more sustainable material choice without compromising on performance.

Integrated Antibacterial Protection

WCB incorporates technology designed to provide continuous antibacterial protection, supporting high standards of hygiene in veterinary clinical environments.

Gold Cat Friendly Clinic



PRODUCT CODE	DESCRIPTION
WCB.3000.00	1220mm wide Mobile Cat Condo Unit including divider and cupboards
WCB.3000.01	1220mm wide Mobile Cat Condo Unit including electric rails, divider and cupboards

KENNEL ACCESSORIES

STAINLESS STEEL PLATFORMS

Custom engineered for precision stacking and maximising rigidity of kennels, the Stainless Steel Stationary and Mobile Platform is designed to provide your kennels with maximum protection from possible dampness and drafts.





Stainless Steel Mobile Platform

- Large reinforced nylon castors and polyurethane wheels that will not mark floors
- Castors rotate 360 degrees for ease of movement
- All castors feature lock mechanisms to keep your kennel assembly stationary
- Allow 216mm height increase when planning your space requirements

Stainless Steel Stationary Platform

- Adjustable feet in each leg easily help level the Platform
- Allow between 203.2 mm and 235mm height increase when planning your space requirements

Platforms are 717.7mm deep and 203.2mm high

Product Code	Description
702.1800.07	Mobile Platform to fit Kennel: Width 457.2 mm
702.2400.07	Mobile Platform to fit Kennel: Width 609.6 mm
702.3000.07	Mobile Platform to fit Kennel: Width 762.0 mm
702.3600.07	Mobile Platform to fit Kennel: Width 914.4 mm
702.4800.07	Mobile Platform to fit Kennel: Width 1219.2 mm
702.6000.07	Mobile Platform to fit Kennel: Width 1524 mm
702.7200.07	Mobile Platform to fit Kennel: Width 1828.8 mm

Platforms are 717.7mm deep and between 203.2mm and 235.0 mm high

Product Code	Description
802.1800.06	Stationary Platform to fit Kennel: Width 457.2 mm
802.2400.06	Stationary Platform to fit Kennel: Width 609.6 mm
802.3000.06	Stationary Platform to fit Kennel: Width 762 mm
802.3600.06	Stationary Platform to fit Kennel: Width 914.4 mm
802.4800.06	Stationary Platform to fit Kennel: Width 1219.2 mm
802.6000.06	Stationary Platform to fit Kennel: Width 1524 mm
802.7200.06	Stationary Platform to fit Kennel: Width 1828.8 mm

END PANEL, TOP PANEL & QUIET TIME DOOR COVERS



End and Top Panels

End Panels and Top Panels are the easiest way to give your individual kennel or kennel assemblies an attractive one piece finished look at one or both ends. Made of the same high quality stainless steel used on the kennel itself, they provide a lifetime of attractive and practical service.

They also eliminate any sharp edges that protrude from the kennel therefore reducing the possibility of cutting you or your patients. Cleaning of the kennel is also made easier as the End Panels and Top Panels give the kennel a smooth, flat surface.

End Panels and Top Panels are ordered separately and are easily attached at your premises.

All End Panels and Top Panels are 717.55 mm deep.



End Panels are 717.5mm deep

Product Code	Description
802.0018.51	Kennel End Panel to fit 457.2 mm high Kennel
802.0024.51	Kennel End Panel to fit 609.6 mm high Kennel
802.0030.51	Kennel End Panel to fit 762.0 mm high Kennel
802.0036.51	Kennel End Panel to fit 914.4 mm high Kennel

Top Panels are 717.5mm deep


Product Code	Description
802.1800.00	Top Panel 457.2 mm wide
802.2400.00	Top Panel 609.6 mm wide
802.3000.00	Top Panel 762 mm wide
802.3600.00	Top Panel 914.4 mm wide
802.4800.00	Top Panel 1219.2 mm wide
802.6000.00	Top Panel 1524 mm wide
802.7200.00	Top Panel 1828.2 mm wide

Quiet Time Door Cover

Shor-Line Quiet-Time Door Covers provide isolation and solitude for clients during treatment or recovery.

The Quiet Time Door Cover features:

- Colour-fast blue nylon construction which is stain and snag resistant
- 76 mm deep pocket which fits securely over the top of the kennel door
- Clear vinyl window so client information can be displayed
- Machine washable




Product Code	Description
179.2424.00	Quiet Time Door Cover for Kennel : Width 609.6 mm x Height 609.6mm
179.2430.00	Quiet Time Door Cover for Kennel : Width 609.6 mm x Height 762.0mm
179.3030.00	Quiet Time Door Cover for Kennel : Width 762.0 mm x Height 762.0mm
179.3630.00	Quiet Time Door Cover for Kennel : Width 914.4 mm x Height 762.0mm

PVC FLOORS & DIVIDERS

PVC Floors

Made from 14 gauge perforated steel, these PVC Floors allow you to clean your kennel floors without the need to disturb or remove your client.
Patients are kept dry and clean as the floor sits 57mm from the bottom of the kennel.



- Non-toxic PVC coating is approximately 3mm thick and covers the entire floor
- Floors for double door kennels are two piece

Product Code	Description
317.0098.00	PVC Floor to fit 457.2mm wide Kennel
317.0098.01	PVC Floor to fit 609.6mm wide Kennel
317.0098.02	PVC Floor to fit 762mm wide Kennel
317.0098.03	PVC Floor to fit 914.4mm wide Kennel
317.0098.04	PVC Floor to fit 1219.2mm wide Kennel, single door
317.0098.05	Pair of PVC Floors to fit a Double Door Kennel 1219.2mm
317.0098.45	Pair of PVC Floors to fit a Double Door Kennel 1524mm
317.0098.46	Pair of PVC Floors to fit a Double Door Kennel 1828.8mm
317.0098.99	PVC Floor to fit 457.2mm wide : x Special 609.6mm Depth
317.0098.99.7	PVC Floor to fit 609.6mm wide : x Special 609.6mm Depth
317.0098.99	PVC Floor to fit 762mm wide : x Special 609.6mm Depth
317.0098.99.1	PVC Floor to fit 914.4mm wide : x Special 609.6mm Depth

NEW



Dividers for Double Door Stainless Steel Kennels

Designed specifically for Shor-Line double-door kennels, these dividers offer a practical, cost-effective solution for converting wider kennel units into two separate compartments. They provide greater flexibility in patient accommodation while making efficient use of available space.

Manufactured from Waterproof Construction Board (WCB), each divider secures to a rear-mounted bracket to create a stable, reliable partition between compartments. The double-door latching mechanism can be easily released with one hand, allowing convenient access when admitting, transferring or retrieving patients.



Product Code	Description
802.0030.01	WCB Standard Depth Kennel Divider for 762.0mm High Kennel
802.0036.01	WCB Standard Depth Kennel Divider for 914.4mm High Kennel

RECORD HOLDERS & SHOR-SHELF©







Record/Card & Plastic Medical Holders

Made from durable stainless steel with a chrome plated clip, your client's records will be kept securely attached to your kennel door.

- Twist and turn method attached holders easily to the horizontal bar of the kennel door
- Clips on the Record Holder and Plastic Medication Holder and three sided pockets on the Card Holders hold your clients details secure
- Plastic Medical Holder is constructed from polycarbonate material whic

Product Code	Description
802.0010.03	Stainless Steel Record Holder- Width 139.7mm x Height 190.5mm
802.0010.04	Stainless Steel Record Holder- Width 228.6mm x Height 304.8mm
802.0000.01	Card Holder- Width 127mm x Height 76.2mm
802.0000.02	Card Holder- Width 203.2mm x Height 127mm
915.0200.04	Medication and Record Holder 140mm x 266mm made from clear plastic
915.0200.05	Medication and Record Holder 228.6mm x 380mm made from clear plastic
915.0200.10	Medication and Record Holder 228.6mm x 380mm made from clear plastic (for use with Plexiglas Doors)
915.0200.11	Medication and Record Holder 139.7mm x 266.7mm made from clear plastic (for use with Plexiglas Doors)



Shor-Shelf© Cat Perching Shelf

The removable Shor-Shelf© allows cats to follow their natural instinct to jump and perch above the floor.

- Shelf is 177.8mm deep and adjusts to fit all 457.2mm, 609.6mm and 762mm wide kennels
- Unique flex-ends with special non-slip pads automatically adjusts to taper of kennel therefore no drilling or modification of the kennel is required

Product Code	Description
802.0006.00	CAT Perching Shelf: Adjustable

LITTER PANS, BOWLS & OXYGEN DOORS



Litter Pans

Designed to provide easy care and clean-up. Made from heavy gauge stainless steel and is also autoclavable.

Product Code	Description
190.9000.03	CAT Litter Pan - 323.9mm x 527mm
190.9000.08	CAT Litter Pan - 323.9mm x 263.5mm

Water & Feed Bowls

These heavy-duty bowls are easy to clean, autoclavable and provide the maximum resistance to dents, wear and tear and abuse.

The Stainless Steel Feed and Water Bowls features:

- Polished stainless steel which make it easy to clean
- Bowls can be nested for storage
- 945ml and 1.89L are designed for use with Shor-Line bowl mounting brackets
- Brackets are constructed of stainless steel and are easy to install



Product Code	Description
190.9000.09	Stainless Steel Bowl - 473ml (1 Pint)
190.9000.05	Stainless Steel Bowl-945ml (1 Quart)
190.9000.06	Stainless Steel Bowl-1.89lt (2 Quart)
802.0002.00	Stainless Steel Bracket for Stainless Steel Bowl-945ml (1 Quart)
802.0003.01	Stainless Steel Bracket for Stainless Steel Bowl-1.89lt (2 Quart)

Single Oxygen Doors

If you have patients in need of increased oxygen, simply remove your stainless steel kennel door and replace it with an oxygen door.
The 9mm thick plexiglass door is designed for an unobstructed view of the patient.

Upper and lower adjustable vents allow for a reduction in condensation.

Humification of oxygen is provided by a semi disposable humidifier (3 supplied).
Temperature of the aerosoled solutions can be increased or decreased by adding ice or heated water to the attachable chamber.



Product Code	Description
914.2424.20	Oxygen Door to fit 609.6mm x 609.6mm Kennel
914.2430.20	Oxygen Door to fit 609.6mm x 762mm Kennel
914.2436.20	Oxygen Door to fit 609.6mm x 914.4mm Kennel
914.3030.20	Oxygen Door to fit 762mm x 762mm Kennel
914.3036.20	Oxygen Door to fit 762mm x 914.4mm Kennel
914.3624.20	Oxygen Door to fit 914.4mm x 609.6mm Kennel
914.3630.20	Oxygen Door to fit 914.4mm x 762mm Kennel
914.3636.20	Oxygen Door to fit 914.4mm x 914.4mm Kennel

OXYGEN DOOR ACCESSORIES



Oxygen Door Conversion Kits

You can easily convert your double door kennel into an oxygen therapy unit.

The conversion kit comprises of a clear plexiglass door for the 1219.2mm wide x 762mm or 914.4mm high double door kennel (does not include single Oxygen Door which is sold separately).

Product Code	Description
914.2430.21	Oxygen Door Conversion Kit; use with 914.2430.20
914.2436.21	Oxygen Door Conversion Kit; use with 914.2436.20

Hygrometer/Thermometer

Digital readout which displays temperature and humidity. This comes as standard equipment on all Oxygen Doors but can also be purchased separately.

- Maximum and minimum memory function
- Centigrade or Fahrenheit temperature readout options

Product Code	Description
025.0005.00	Hygrometer/Thermometer





Humidifier

This Humidifier delivers moist oxygen to alleviate drying of the bronchial passages. This comes as standard equipment on all Oxygen Doors but can also be purchased separately.

- Semi disposable
- Can be cleaned and reused several times

Product Code	Description
025.0004.00	Humidifier for use with Oxygen Doors

O^2 Meter & Cover

The Handi+ oxygen mater is a great way to spot check O^2 percentages.

- Inserts into opening near the bottom of the Oxygen Door
- Features one-touch calibration
- Quickly moves through other features
- Cover on inside of the kennel protects from animal contact
- Weight: 0.9kg

Product Code	Description
814.0005.00	O2 Analyser and cover



INFUSION/I.V. PUMP HOLDERS & KAT KAVE



Infusion Pump Holder Grill Mount

Mounts easily onto any Shor-Line kennel or Run Gate. It also allows for direct access to the infusion pump displays and controls.

- 220mm length, 25mm height, 10mm depth medical rail

Product Code	Description
802.0012.00	Infusion Pump Holder, Grill Mount

Infusion Pump Holder Pole Mount

Mounts easily onto any Shor-Line kennel and provides stable support for your infusion pump. It also allows for direct access to the infusion pump displays and controls.

- Weight of the pump and a twist clasp locks the holder onto the kennel bars
- Adjustable height with dual horn bag hooks



Product Code	Description
802.0011.00	Infusion Pump Holder, Pole Mount



Kennel Door I.V. Holder

eep your floor space clear by attaching your fluids to a kennel door.

- Easily attaches to any Shor-Line kennel door
- 482.6mm holder adjusts from 50.8mm to 406.4mm above the point of attachment to the door; 889mm holder adjusts from 50.8mm to 812.8mm

Product Code	Description
802.0001.00	Kennel door I.V. Holder length 482.6mm
802.0001.01	Kennel door I.V. Holder length 889.0mm

Kat Kave

The two-level Kat Kave allows felines to choose between lounging on the top resting area or hide-away in the "cave" section that opens on three sides. Sits against the back side of the kennel or Cat Condo to allow felines to move through the three openings.



- Concave top resting shelf allows the feline to sink about 25.4mm down to feel secure while enjoying the enrichment of a vertical space 355mm off the floor
- The front opening is 337mm W x 203mm H and the side openings are 203mm W x 292mm H
- Made of durable, easy-to-clean polyethylene in black to match our door hinges

Product Code	Description
802.0007.01	Kat Kave (527mm W x 355mm H x 374mm D)

DISINFECTANT

Quinticare Plus Disinfectant Detergent

Quinticare Plus is the disinfectant choice of professionals including Veterinary Surgeons and Veterinary Hospitals.

- DEFRA approval against two orders in all four fragrances (Diseases of Poultry Order and the Avian Influenza and Influenza of Avian Origin in Mammals Order & General Orders)
- There is no need to rinse away with water after application as animals can come into contact with the disinfectant whilst still wet
- It does NOT contain harmful Phenols, Aldehydes or Alcohol
- It is NON-toxic, NON-staining, NON-tainting and a NON-irritant at all working dilutions
- It is kind to the environment, as it is water-based and biodegradable
- It is manufactured in the United Kingdom and efficacy tested by recognised UK laboratories

For daily usage use concentrate at 1:100 ratio, to kill Viruses, Fungi and Bacteria.

For Coronavirus please dilute to a minimum of 1:50

For confirmed outbreaks or in areas of deep concern use the concentrate at 1:50 or 1:10 depending on the disease.

A 5L concentrate will make 1000 units of 500ml ready to use trigger sprays.

Product Code	Description
806.0002.09	Quinticare Plus: 5 Litre



CUSTOM DESIGN



We at Shor-Line have been designing and manufacturing kennels for over 50 years.

In this time, we have continuously striven to improve our design and materials to suit the needs of the veterinarian and the patient.

Detailed attention should not only be paid to the quality, design and reputation of the kennel you install…equal attention should be paid to the design of your kennel ward, the design of your kennel assembly and its installation.

To ensure that you achieve the best outcome, contact us at the planning stage of your project, be it a branch surgery, a referral centre or a University Veterinary Hospital.

Our experience can help you achieve something you will be proud of.

TERMS AND CONDITIONS

1. All prices are quoted for Shor-Line product ex-works Cowbridge, exclusive of VAT.
2. Payment of account is due (14) days from the date of invoice.
3. Late payment of account will attract a surcharge, equivalent to 2% per month from the date that the invoice is due, (e.g., 14 days from the date of invoice).
4. All products remain the property of Shor-Line Ltd until paid for in full.

PRODUCT WARRANTIES:

All Shor-Line stainless steel products are warranted against manufacturer defects in materials and/or workmanship, whilst they are the property of the original purchaser - assuming proper care and maintenance has been carried out.
All mechanical parts and/or electrical devices carry a one year warranty, unless specifically extended or limited in the product description, product inserts or operation manuals.
Some United States warranties, as stated in the operation manuals do not apply outside the United States. These are superseded by European warranties - please check for details.

GUARANTEE OF SATISFACTION:

If a customer is not fully satisfied with the quality of workmanship of a Shor-Line product, Shor-Line must be notified in writing within (10) days of receipt of goods.
Notification should be mailed to: Customer Services Department

Shor-Line Limited
Unit 36
Vale Business Park
Llandow
Cowbridge
Vale of Glamorgan
CF71 7PF
United Kingdom
Telephone: +44 (0) 1446 77 20 41
Website: www.shor-line.co.uk
E-mail: info@shor-line.co.uk

Proof and date of purchase will be required for your request to be carried out quickly and efficiently.

CUSTOMERS' RECEIPT OF GOODS

Customers are advised to check that the number of packages corresponds with the quantity stated on the "Carrier's Note". Any discrepancy should be recorded on the note.
Any damages or shortages must be advised to "Shor-Line Limited" within (2) days, and confirmed in writing within (7) days. No other claim will be considered.
Please note that the claim procedures that are stated on the exterior of the packing material only apply to the United States market.

PRODUCT RETURN AUTHORISATION:

Customers who need to return products must first obtain authorisation from "Shor-Line Customer Services" on 01446 772041.
Products may be returned for the following reasons:

1. The product is received in a damaged or sub-standard condition.
2. The product requires "service" or "repair"

To assist in the return authorisation please provide the following information:

a. The name of the product to be returned and the product code number.
b. The product serial number
c. The reason for return
d. The date of purchase and the Shor-Line Invoice Number

Shor-Line's Customer Service Department will allocate an Authorisation Number, which will ensure that the repair, replacement and/or credit will be handled quickly and efficiently. Returns will be subject to a 10% re-stock fee.

PLANNING GUIDE WORKSHEET

Index Page Number

KENNELS

Stainless Steel Kennels....4-5
Kennel Run Gates....6-8
T-Kennel....9-11
Stainless Steel Double Cat Suites....12
Cat Condo....13
Mobile Cat Condo Unit....14

KENNEL ACCESSORIES

Stainless Steel Platforms....16
End Panels, Top Panels & Quiet Time Covers....17
PVC Floors & Kennel Dividers....18
Record Holders & Shor-Shelf©....19
Litter Pans, Bowls & Oxygen Doors....20
Oxygen Door Accessories....21
Infusion Pump Holders & Kat Kave....22
Disinfectant....23
Custom Design....24
Terms and Conditions....25

Shor-Line Ltd
Unit 36 Vale Business Park, Llandow, Cowbridge, Vale of Glamorgan, CF71 7PF, United Kingdom
Registered No. 1886341

01446 772041
info@shor-line.co.uk
www.shor-line.co.uk